IN THE CLAIMS

This is a complete and current listing of the claims, marked with status identifiers in parentheses. The following listing of claims will replace all prior versions and listings of claims in the application.

.3

- 1. (Currently Amended) A method of carrying out quality control for an analysis process, which belongs to a group of related analysis processes that can be carried out in at least one analyzer and respectively comprise including a chain of sub-processes, containing the following features the method comprising:
- storing at least one of fundamental chemical and for physical basic sub-processes for the group are stored in a first database.
- representing at least a part of the chain of the analysis process is represented by specifying one of the basic sub-processes, per sub-processes of the part of the chain, using at least one control parameter and at least one associated threshold value;
- determining measurement values of the control parameters are determined for at least one run of the

analysis process, and

comparing the measurement values are compared with the associated threshold values for the quality control.

- 2. (Currently Amended) The method as claimed in claim 1, characterized in thatwherein the analysis processes comprise includes at least one of chemical and/or biochemical analysis processes.
- 3. (Currently Amended) The method as claimed in claim 1 or 2, characterized in that wherein at least one of the basic processes is used repeatedly for the representation.
- 4. (Currently Amended) The method as claimed in one of claims 1 to 3, characterized in that claim 1, wherein the part of the chain contains only the quality-relevant sub-processes.
- 5. (Currently Amended) The method as claimed in claim 1, whereinin one of claims 1 to 4, characterized in that the representation is aided by a correspondingly designed graphical user interface.
- 6. (Currently Amended) The method as claimed in claim 5, characterized in that wherein the graphical user interface aids

the representation by at least one of drag-and-drop techniques, drop-down lists and for checking list elements with a mouse click.

1

- 7. (Currently Amended) The method as claimed in claim 1, whereinin one of claims 1 to 6, characterized in that the represented part of the chain is stored with the control parameters and threshold values in a second database.
- 8. (Currently Amended) The method as claimed in claim 1, wherein in one of claims 1 to 7, characterized in that associated measurement values lying above or below the threshold values are evaluated during the comparison.
- 9. (Currently Amended) The method as claimed in claim 1, whereinin one of claims 1 to 8, characterized in that a run of the analysis process is terminated if one of the measurement values violates a predetermined relation with respect to the associated threshold value during the comparison.
- 10. (Currently Amended) The method as claimed in claim 1, wherein at least one of in one of claims 1 to 9, characterized in that the measurement values and/or the results of the comparison are stored.

- 11. (Currently Amended) The method as claimed in claim 10, characterized in that wherein a reference of a run of at least one of the analysis process and for a reference of at least a part of the analyzer is also stored.
- 12. (Currently Amended) The method as claimed in claim 1, wherein at least one of in one of claims 1 to 11, characterized in that the measurement values and/or the results of the comparison for a plurality of runs of the analysis process are at least one of stored and/or statistically evaluated.
- 13. (Currently Amended) The method as claimed in claim 1, wherein at least one of in one of claims 1 to 12, characterized in that the measurement values and/or the results of the comparison are stored in a third database.
- 14. (Currently Amended) The method as claimed in claim 1, wherein at least one of in one of claims 1 to 13, characterized in that the measurement values and/or the results of the comparison are used to at least one of assist maintenance of the an analyzer for carrying out the analysis process and/or to provide feedback about a manufacturing processes of at least parts of the analyzer.

- 15. (Currently Amended) A device for carrying out the method as claimed in claim 1, in one of claims 1 to 14, characterized in that the device comprises comprising the an analyzer for carrying out the analysis process.
- 16. (Currently Amended) The device as claimed in claim 15, characterized in that wherein the device comprises includes a computer workstation.
- 17. (Currently Amended) The device as claimed in claim 16, characterized in that wherein the computer workstation can be connected is connectable to the analyzer.
- 18. (Currently Amended) The device as claimed in claim 17, characterized in that wherein the analyzer and the computer workstation can be connected are connectable together via an electrically engineered data connection, especially the Internet.
- 19. (Currently Amended) The device as claimed in one of claims 16 to 18, characterized in that claim 16, wherein the a first database can be stored in the computer workstation.

- 20. (Currently Amended) The device as claimed in one of claims 16 to 19, characterized in that claim 16, wherein the computer workstation is designed for at least one of representing the part of the chain and/or for the statistical evaluation.
- 21. (Currently Amended) The device as claimed in one of claims 15 to 20, characterized in that claim 20, wherein at least one of the a second database and of at least parts of the third database can be are stored in the analyzer.
- 22. (Currently Amended) The device as claimed in one of claims 15 to 21, characterized in that claim 15, wherein the analyzer is designed for determining the measurement values.
- 23. (Currently Amended) The device as claimed in one of claims 15 to 22, characterized in that claim 15, wherein the analyzer comprises—includes a base unit and subunits, especially disposable sensors, which can be put, attachable into the base unit.
- 24. (Currently Amended) The device as claimed in claim 23, characterized in that<u>wherein</u> the subunits are provided with an

electronic memory chip.

- 25. (Currently Amended) The device as claimed in one of claims 23 and 24, characterized in that the claim 24, wherein at least one of a second database and for at least parts of the third database can be are stored in the subunits.
- 26. (Currently Amended) The device as claimed in one of claims 23 to 25, characterized in that claim 25, wherein a reference of the respective subunit can also be are stored in the third database.
- 27. (Currently Amended) The device as claimed in one of claims 15 to 26, characterized in that claim 15, wherein the analyzer is intended for analyzing at least one substance in a bodily fluid of a living being.
- 28. (New) The device as claimed in claim 18, wherein the analyzer and the computer workstation are connectable together via the Internet.
- 29. (New) The device as claimed in claim 15, wherein the analyzer includes a base unit and disposable, attachable into the base unit.

30. (New) A device for performing an analysis process including a chain of sub-processes, the device comprising:

4

means for storing at least one of fundamental chemical and physical basic sub-processes for the group in a first database;

means for representing at least a part of the chain of the analysis process by specifying one of the basic subprocesses, per sub-processes of the part of the chain, using at least one control parameter and at least one associated threshold value;

means for determining measurement values of the control parameters for at least one run of the analysis process; and

means for comparing the measurement values with the associated threshold values for the quality control.

- 31. (New) A device as claimed in claim 30, wherein the device includes an analyzer.
- 32. (New) The device as claimed in claim 31, wherein the device includes a computer workstation.
- 33. (New) The device as claimed in claim 32, wherein the

computer workstation is connectable to the analyzer.

34. (New) The device as claimed in claim 33, wherein the analyzer and the computer workstation are connectable together via an electrically engineered data connection.